

6 Bibliografía

- [1] G. Ilevbare, *Materials handbook for nuclear plant pressure boundary applications*. 2013.
- [2] A. M. Ritter, M. F. Henry, and W. E. Savage, “High Temperature Phase Chemistries and Solidification Mode Prediction in Nitrogen-Strengthened Austenitic Stainless Steels,” 1984.
- [3] C. , K. H. S. , S. M. , & D. J. Herrera, “Characterization and Further Development of Austenitic Stainless Steel UNS S20910 Towards New Industrial Applications,” 2022.
- [4] “STRENGTH AND CORROSION RESISTANCE COMBO • Best Corrosion Resistance of all stainless steels • Exceptionally low magnetic permeability • Strength almost double 316.” [Online]. Available: www.electrally.com
- [5] H. M. Cobb, *The history of stainless steel*, ASM International. 2010.
- [6] ASME, “Boiler and Pressure Vessel Code ® ASME ®,” 2019. [Online]. Available: www.asme.org/about-asme/sales-policy#chart.
- [7] J. C. , & K. D. J. Lippold, *Welding metallurgy and weldability of stainless steels*. 2005.
- [8] P. Cobelli, “ETH Library Development of ultrahigh strength austenitic stainless steels alloyed with nitrogen,” 2003, doi: 10.3929/ethz-a-004550660.
- [9] J.-B. Vogt, A. Messai, and J. Foct, “CLEAVAGE FRACTURE OF AUSTENITE INDUCED BY NITROGEN SUPERSATURATION,” 1994.
- [10] S. Wang, K. Yang, Y. Shan, and L. Li, “Plastic deformation and fracture behaviors of nitrogen-alloyed austenitic stainless steels,” *Materials Science and Engineering: A*, vol. 490, no. 1–2, pp. 95–104, Aug. 2008, doi: 10.1016/j.msea.2008.01.015.
- [11] D. , & B. I. M. Peckner, *Handbook of stainless steels*. New York, 1977.

- [12] R. Walsh *et al.*, “Welded tie plate feasibility study for ITER central solenoid structure,” in *AIP Conference Proceedings*, American Institute of Physics Inc., 2014, pp. 16–22. doi: 10.1063/1.4860598.
- [13] M. M. Morra, “Process Parameters Affecting Inhomogeneity of Material Microstructure”, [Online]. Available: www.stralsakerhetsmyndigheten.se
- [14] R. H. Espy, “Weldability of Nitrogen-Strengthened Stainless Steels,” 1982.
- [15] K. A. Yushchenko, V. S. Savchenko, A. M. Solokha, and S. A. Voronin, “Effect of Delta-Ferrite on the Properties of Welds in Austenitic Steels at Cryogenic Temperatures,” in *Advances in Cryogenic Engineering Materials*, Boston, MA: Springer US, 1994, pp. 1263–1266. doi: 10.1007/978-1-4757-9053-5_160.
- [16] S. A. E. Langeslag, S. Sgobba, P. Libeyre, D. J. Marcinek, and Z. Zhang, “Extensive characterisation of advanced manufacturing solutions for the ITER Central Solenoid pre-compression system,” *Fusion Engineering and Design*, vol. 98–99, pp. 2015–2019, Oct. 2015, doi: 10.1016/j.fusengdes.2015.06.007.
- [17] C. Corporation, “NuScale Containment Leakage Integrity Assurance Technical Report NuScale Containment Leakage Integrity Assurance,” 2016. [Online]. Available: www.nuscalepower.com
- [18] BWRVIP-84, *Revision 3: BWRVIP Vessel and Internals Project, Guidelines for Selection and Use of Materials for Repairs to BWR Internal Components*.
- [19] K. Chandra *et al.*, “Low temperature thermal aging of austenitic stainless steel welds: Kinetics and effects on mechanical properties,” *Materials Science and Engineering: A*, vol. 534, pp. 163–175, Feb. 2012, doi: 10.1016/j.msea.2011.11.055.
- [20] S. A. David, J. M. Vitek, and D. J. Alexander, “Embrittlement of Austenitic Stainless Steel Welds,” 1996.
- [21] J. M. Ranalli, “Relationship Between Microstructure and Corrosion of Pressure Vessel Cladding Materials,” 2018.

- [22] N. Nissley, T. D. Anderson, F. F. Noecker, C. Roepke, M. Gallagher, and M. Hukle, “Dissimilar Metal Welding of Nitronic 50 HS® and 25% Cr Super Duplex Stainless Steel,” in *Volume 5: Materials Technology; Petroleum Technology*, American Society of Mechanical Engineers, Jun. 2014. doi: 10.1115/OMAE2014-24706.
- [23] J. M. Rodelas *et al.*, “Microstructural and Mechanical Analysis of Intermediate Temperature Equilibrium Phase Formation in Nitronic 60 Stainless Steel.” [Online]. Available: <https://www.hpalloy.com/Alloys/descriptions/NITRONIC60.aspx>
- [24] V. Bertolo *et al.*, “Cleavage fracture micromechanisms in simulated heat affected zones of S690 high strength steels.”
- [25] F. R. Fickett and R. P. Reed, “Materials studies for magnetic fusion energy applications at low temperatures- I,” Gaithersburg, MD, 1978. doi: 10.6028/NBS.IR.78-884.
- [26] D. M. McRae, R. P. Walsh, E. N. C. Dalder, P. S. Litherland, M. Trosen, and D. J. Kuhlmann, “Fatigue and fracture properties of a super-austenitic stainless steel at 295 K and 4 K,” in *AIP Conference Proceedings*, American Institute of Physics Inc., 2014, pp. 59–66. doi: 10.1063/1.4860605.
- [27] “Standard Test Method for Measurement of Fracture Toughness 1”, doi: 10.1520/E1820-22.